

Rhodes Group

Documentation For Review

Doc Review Version: 1-A

02-18-2016

TABLE OF CONTENTS

CHAPTER 1 : Notes for Review Demo I-A

CHAPTER 2 : Glossary Notes and Examples

Glossary

CHAPTER 1 : Notes for Review Demo I-A

These are notes to log what the review demo covers. Refer to specific TOC for contents.

Review Demo I-A	02-18-2016
Format(s)	PDF and Online
Purpose	» Revisions to how the glossary is set up and how terms will be used in content. Per phone conversation 02-18-16

CHAPTER 2 : Glossary Notes and Examples

Per phone conversation on 02-18-16. For Review Demo 1-A.

Change the use of glossaries and glossary terms. Along with that, create the convention of tablename.fieldname as a standard without any special font or coloring.

- » prefer to only refer to tablename.fieldname as just that. Using the convention of tablename.fieldname, fieldname [tablename] will confuse the reader. Want readers to learn and use just tablename.fieldname as a convention.
- » keep the glossary that has terms as fieldname [tablename]. That glossary allows the user to search or lookup by fieldname only and learn what table(s) that field belongs to and its definition(s).
- » add a glossary for each table that has terms as tablename.fieldname. That glossary will find terms in content, coloring those terms and providing a definition popup.

Example:

The term **FO_LabInfo.epi_billto_options**¹ will be in the content and display as a glossary term.

When a reader either uses search or simply looks in the glossary, they will be able to find the term alphabetically as either just epi_billto_options or **FO_LabInfo.epi_billto_options**².

Same for **FO_CDC_Outbound_Filter.ClientCode**³ term.

¹Populates billto option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid bill to options separated by pipes with leading and trailing pipes. IE: |P|C||

²Populates billto option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid bill to options separated by pipes with leading and trailing pipes. IE: |P|C||

³Client code or asterisk (*) for all clients.

A

AccessionFormat [FO_LabInfo]

Drives the routines that creates unique FP accessions and container IDs. Use Rhodes Group recommended value. Allowed Values: ENTRYGROUPCODE = use entry group code to derive format. 7SEQ = create a 7 character unique number 8SEQ = create a 8 character unique number 9SEQ = create a 9 character unique number 10SEQ = create a 10 character unique number 11SEQ = create a 11 character unique number 12SEQ = create a 12 character unique number

ADT_Interface [FO_LabInfo]

Default value for the Outbound ADT system interface. Use Rhodes Group recommended value.

AutoCCccCode [FO_LabInfo]

Default test code for copy to physician when the rule is activated to order a test battery to hold the values of ordering and copy to codes. The system will automatically enter the copy to codes for the order if the answer test code matches this value. Use a valid test code. Used to send the copy to physician values to a client as a test code in a lab report.

AutoCCORDCode [FO_LabInfo]

Default test code for the ordering physician when the rule is activated to order a test battery to hold the values of ordering and copy to codes. The system will automatically enter the physician code for the order if the answer test code matches this value. Use a valid test code. Used to send the ordering physician values to a client as a test code in a lab report.

AutoOrderCodeWhenCCDoc [FO_LabInfo]

Used to order tests automatically when copy to physician is used on the order screen. Multidimensional pipe delimited value. Use valid order test codes separated by pipes with leading and trailing pipes.

B

barcode_security [FO_LabInfo]

Use 1 Do NOT not change without Rhodes Group approval.

barcode_xunit [FO_LabInfo]

Use 150.00 Do NOT not change without Rhodes Group approval.

barcode_yunit [FO_LabInfo]

Use 5.00 Do NOT not change without Rhodes Group approval.

BatchListRPTExternalFormCode [FO_LabInfo]

The form code from FO_External_Form_Definition. ExternalFormCode that can be used to show a user customized SSRS-based Batch List form. Leave blank to use the default report.

blockmrlength [FO_LabInfo]

Mask for MRN entry value. Multidimensional pipe delimited value. Use integers separated by pipes with leading and trailing pipes. Each number represents a MRN entry length that is NOT supported by the system. IE: |1|2|3|4|5|6|7|9|10|11|12|13|14| In this example, the MRN entry must be either 8 characters long or longer than 14 characters.

C

callback_callcode [FO_LabInfo]

Value for "Call" for callback systems. Used when the CALL button on the order screen phone definitions is clicked.

callback_faxcode [FO_LabInfo]

Value for "Fax" for callback systems. Used when the FAX button on the order screen phone definitions is clicked.

CallToOrderCode [FO_LabInfo]

Used in the mini window for call/fax to automatically order a test code when the CALL button is clicked on the order screen. Use a valid order code.

CashFeeSchedule [FO_LabInfo]

Default fee schedule code applied to Fast accessions labeled as 'Bill to Cash'. Use valid fee schedule code.

CashFeeScheduleOption [FO_LabInfo]

Default fee schedule option applied to Fast accessions labeled as 'Bill to Cash'. Use valid fee schedule option.

CDC_In_Interfaces [FO_LabInfo]

Interface code for Client Data Concentrator inbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

CDC_OUT_Cancel_Order_Control [FO_LabInfo]

Use OC or CA OC = OrderControl when FAST writes a cancellation trigger CA = Cancellation order control to be used in FO_IF_Trigger_CDCOutbound

CDC_Out_Interfaces [FO_LabInfo]

Interface code for Client Data Concentrator outbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

CDCOrderEvalHours [FO_LabInfo]

Represents a number of hours. Use an integer. Default is 0. Used to validate the collection date/time on the order screen when a previously created order is opened. If the order collection date/time is older than this value, the collection date/time field is cleared to allow the user to enter a new one.

CID_Prefix [FO_LabInfo]

Prefix characters for ContainerID.

ClientCode [FO_CDC_Outbound_Filter]

Client code or asterisk (*) for all clients.

CollectionLocations [FO_LabInfo]

Default for collection location if not defined at the user level. Use a valid collection location. Used to evaluate the collection location entered on the order screen.

CreateDate [FO_CDC_Outbound_Filter]

Date record was created. Informational

CreateDate [FO_External_Form_Definitions]

HEY Date record was created. Informational this term was touched

CreateDate [FO_IF_Translations]

Date record was created. Informational

CreatedBy [FO_IF_Translations]

User who created the record. Informational

CreateUser [FO_CDC_Outbound_Filter]

User who created record. Informational

CreateUser [FO_External_Form_Definitions]

User who created the record. Informational

D

Def_Areacode [FO_LabInfo]

Default for area code. Use an integer, a valid area code. Used on the patient demographic screen if area code is not provided.

def_clientcode [FO_LabInfo]

Default system client ID code. Use a valid client ID code.

def_epi_days [FO_LabInfo]

Use 30 Do NOT not change without Rhodes Group approval.

def_ptloccode [FO_LabInfo]

Default patient location code on the order screen. Use valid patient location code.

DefaultBatchDestination [FO_LabInfo]

Default batch destination code. Use a valid batch destination code. Used if not provided by rules for transport logic.

defaultfacilityid [FO_LabInfo]

Default system facility ID code. Use a valid facility ID code.

DefaultFeeSchedule [FO_LabInfo]

Default fee schedule for multiple fee schedule implementations.

DefaultFeeScheduleOption [FO_LabInfo]

Default option in the default fee schedule for multiple fee schedule implementations.

DefaultPerformingLab [FO_LabInfo]

Default performing lab code value. Use a valid performing lab code value. Used to supply a performing lab code to the system when one is required and not provided by rules.

defaultspeciescode [FO_LabInfo]

Default species code. H = HUMAN

defaultspeciesname [FO_LabInfo]

Default species name corresponding to the default species code. HUMAN

DefaultWorkflowMethod [FO_LabInfo]

System default workflow. Overridden by a user location or user-defined default workflow. Allowed values: PATIENT PRESENTS SPECIMEN PRESENTS INDUSTRIAL TOX

defOrdScreenReq [FO_LabInfo]

Default requisition report name used when the REQ button on the order screen is clicked. Default used when the user-level value is not defined. Required value. Use Rhodes Group recommended value.

Description [FO_External_Form_Definitions]

Description for the report.

DispatchListRPTEExternalFormCode [FO_LabInfo]

The external form code for the dispatch list user custom report.

DisplayBDEFields [FO_LabInfo]

Determines which fields to display in the blind duplicate entry screen. Multidimensional pipe delimited value. Use allowed values shown below separated by pipes with leading and trailing pipes. The default value of [ALL] may be used to display all fields. Allowed values: M = MRN N = pt name D = DOB S = gender T = telephone C = client L = location P = physician E = test related fields CC1 = copy to 1 CC2 = copy to 2 CC3 = copy to 3 CC4 = copy to 4 ADD = address fields

E

EditDate [FO_CDC_Outbound_Filter]

Date record was edited. Informational

EditDate [FO_External_Form_Definitions]

Date record was edited. Informational

EditDate [FO_IF_Translations]

Date record was edited. Informational

EditedBy [FO_IF_Translations]

User who last edited the record. Informational

EditUser [FO_CDC_Outbound_Filter]

User who last edited record. Informational

EditUser [FO_External_Form_Definitions]

User who edited the record. Informational

epi_billto_options [FO_LabInfo]

Populates billto option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid bill to options separated by pipes with leading and trailing pipes. IE: |P|C||

epi_ins_options [FO_LabInfo]

Populates insurance option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid insurance options separated by pipes with leading and trailing pipes. IE: |INS1|INS2|INS3|

ExceptionExecFolder [FO_LabInfo]

Pathway for CStools installation.

ExceptionExecutable [FO_LabInfo]

Filename for CStools executable. Include ".exe" in the file name.

ExternalFormCode [FO_External_Form_Definitions]

Unique code string to identify a single report.

ExternalForms_ID [FO_External_Form_Definitions]

Identity (counter) field

F

FastingOrderCode [FO_LabInfo]

Used to automatically order a test if the fasting priority is selected at the order level on the order screen. The rule is activated at the time the VERIFY button is clicked. Use a valid order code.

FaxToOrderCode [FO_LabInfo]

Used in the mini window for call/fax to automatically order a test code when the FAX button is clicked on the order screen. Use a valid order code.

FilterID [FO_CDC_Outbound_Filter]

Identity (counter) field

FO_CDC_Outbound_Filter.ClientCode

Client code or asterisk (*) for all clients.

FO_CDC_Outbound_Filter.CreateDate

Date record was created. Informational

FO_CDC_Outbound_Filter.CreateUser

User who created record. Informational

FO_CDC_Outbound_Filter.EditDate

Date record was edited. Informational

FO_CDC_Outbound_Filter.EditUser

User who last edited record. Informational

FO_CDC_Outbound_Filter.FilterID

Identity (counter) field

FO_CDC_Outbound_Filter.MPIQualifier

MPI qualifier code that accepts inbound messages.

FO_CDC_Outbound_Filter.OrderControl

Order control code used with SENDNA option.

FO_CDC_Outbound_Filter.SendCancel

Bit field to determine if cancel order messages are sent on CDCOutbound. 0 = filter cancel order messages, do not send 1 = send cancel order messages

FO_CDC_Outbound_Filter.SendNA

Bit field to determine if SN/NA messages are sent on CDCOutbound. 0 = filter SN/NA messages, do not send 1 = send SN/NA messages

FO_CDC_Outbound_Filter.SendOrder

Bit field to determine if order messages are sent on CDCOutbound. 0 = filter order messages, do not send 1 = send order messages

FO_CDC_Outbound_Filter.SendReceipt

Bit field to determine if receipt order messages are sent on CDCOutbound. 0 = filter receipt order messages, do not send 1 = send receipt order messages

FO_External_Form_Definitions.CreateDate

HEY Date record was created. Informational this term was touched

FO_External_Form_Definitions.CreateUser

User who created the record. Informational

FO_External_Form_Definitions.Description

Description for the report.

FO_External_Form_Definitions.EditDate

Date record was edited. Informational

FO_External_Form_Definitions.EditUser

User who edited the record. Informational

FO_External_Form_Definitions.ExternalFormCode

Unique code string to identify a single report.

FO_External_Form_Definitions.ExternalForms_ID

Identity (counter) field

FO_External_Form_Definitions.FPModule

Swaps the default Rhodes format for the SSRS form defined. Use a valid FPModule code to enable. Valid FPModule Code: BATCHPROCESS

FO_External_Form_Definitions.PermGroups

Determines which users can see a report based on permission group codes. Leave blank to make report available to all users. Multidimensional pipe delimited value. Use valid permission group codes separated by pipes with leading and trailing pipes.

FO_External_Form_Definitions.ReportType

A short coded value that identifies the type of the report.

FO_External_Form_Definitions.ReportURL

URL that launches the report in the SSRS server.

FO_IF_Translations.CreateDate

Date record was created. Informational

FO_IF_Translations.CreatedBy

User who created the record. Informational

FO_IF_Translations.EditDate

Date record was edited. Informational

FO_IF_Translations.EditedBy

User who last edited the record. Informational

FO_IF_Translations.FO_IF_Translations_ID

Identity (counter) field

FO_IF_Translations.ForceBillTo

Defines the billto value for every order created by reference to this translation. Only applies to translation type I insurance for the first IN1 segment. This will override what was sent in message or default value for qualifier. Use a valid FAST billto value. See billto table for valid entries of longcode. This logic will be used only if the translation rules are activated to cause the system to translate the insurance code in the message. An IN1 segment must have at least an insurance code and a policy number to qualify as a valid segment. If it does not, no translation will be applied.

FO_IF_Translations.ForeignValue

Value for this type in the external system.

FO_IF_Translations.FPValue

Value to translate to in FP. For type I insurance translations, if the FPValue is listed as "**DNU**", then the system will not record any insurances from that message. The system will still force the Bill To if the above field is valued. This is only honored for the primary insurance (first IN1) segment in a message.

FO_IF_Translations.InterfaceCode

Interface code for this translation. The interface code is defined in the Comms and Processor jobs config files.

FO_IF_Translations.MPIQualifier

MPI qualifier code.

FO_IF_Translations.TranslationType

Single character that represents a translation type. I = insurance P = provider C = client B = bill to T = test code L = patient location G = gender R = relationship value S = species PR = priority M = marital

FO_IF_Translations_ID [FO_IF_Translations]

Identity (counter) field

FO_LabInfo.AccessionFormat

Drives the routines that creates unique FP accessions and container IDs. Use Rhodes Group recommended value. Allowed Values: ENTRYGROUPCODE = use entry group code to derive format. 7SEQ = create a 7 character unique number 8SEQ = create a 8 character unique number 9SEQ = create a 9 character unique number 10SEQ = create a 10 character unique number 11SEQ = create a 11 character unique number 12SEQ = create a 12 character unique number

FO_LabInfo.ADT_Interface

Default value for the Outbound ADT system interface. Use Rhodes Group recommended value.

FO_LabInfo.AutoCCccCode

Default test code for copy to physician when the rule is activated to order a test battery to hold the values of ordering and copy to codes. The system will automatically enter the

copy to codes for the order if the answer test code matches this value. Use a valid test code. Used to send the copy to physician values to a client as a test code in a lab report.

FO_LabInfo.AutoCCORDCode

Default test code for the ordering physician when the rule is activated to order a test battery to hold the values of ordering and copy to codes. The system will automatically enter the physician code for the order if the answer test code matches this value. Use a valid test code. Used to send the ordering physician values to a client as a test code in a lab report.

FO_LabInfo.AutoOrderCodeWhenCCDoc

Used to order tests automatically when copy to physician is used on the order screen. Multidimensional pipe delimited value. Use valid order test codes separated by pipes with leading and trailing pipes.

FO_LabInfo.barcode_security

Use 1 Do NOT not change without Rhodes Group approval.

FO_LabInfo.barcode_xunit

Use 150.00 Do NOT not change without Rhodes Group approval.

FO_LabInfo.barcode_yunit

Use 5.00 Do NOT not change without Rhodes Group approval.

FO_LabInfo.BatchListRPTExternalFormCode

The form code from FO_External_Form_Definition. ExternalFormCode that can be used to show a user customized SSRS-based Batch List form. Leave blank to use the default report.

FO_LabInfo.blockmrlength

Mask for MRN entry value. Multidimensional pipe delimited value. Use integers separated by pipes with leading and trailing pipes. Each number represents a MRN entry length that is NOT supported by the system. IE: |1|2|3|4|5|6|7|9|10|11|12|13|14| In this example, the MRN entry must be either 8 characters long or longer than 14 characters.

FO_LabInfo.callback_callcode

Value for "Call" for callback systems. Used when the CALL button on the order screen phone definitions is clicked.

FO_LabInfo.callback_faxcode

Value for "Fax" for callback systems. Used when the FAX button on the order screen phone definitions is clicked.

FO_LabInfo.CallToOrderCode

Used in the mini window for call/fax to automatically order a test code when the CALL button is clicked on the order screen. Use a valid order code.

FO_LabInfo.CashFeeSchedule

Default fee schedule code applied to Fast accessions labeled as 'Bill to Cash'. Use valid fee schedule code.

FO_LabInfo.CashFeeScheduleOption

Default fee schedule option applied to Fast accessions labeled as 'Bill to Cash'. Use valid fee schedule option.

FO_LabInfo.CDC_In_Interfaces

Interface code for Client Data Concentrator inbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

FO_LabInfo.CDC_OUT_Cancel_Order_Control

Use OC or CA OC = OrderControl when FAST writes a cancellation trigger CA = Cancellation order control to be used in FO_IF_Trigger_CDCOutbound

FO_LabInfo.CDC_Out_Interfaces

Interface code for Client Data Concentrator outbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

FO_LabInfo.CDCOrderEvalHours

Represents a number of hours. Use an integer. Default is 0. Used to validate the collection date/time on the order screen when a previously created order is opened. If the

order collection date/time is older than this value, the collection date/time field is cleared to allow the user to enter a new one.

FO_LabInfo.CID_Prefix

Prefix characters for ContainerID.

FO_LabInfo.CollectionLocations

Default for collection location if not defined at the user level. Use a valid collection location. Used to evaluate the collection location entered on the order screen.

FO_LabInfo.Def_Areacode

Default for area code. Use an integer, a valid area code. Used on the patient demographic screen if area code is not provided.

FO_LabInfo.def_clientcode

Default system client ID code. Use a valid client ID code.

FO_LabInfo.def_epi_days

Use 30 Do NOT not change without Rhodes Group approval.

FO_LabInfo.def_ptloccode

Default patient location code on the order screen. Use valid patient location code.

FO_LabInfo.DefaultBatchDestination

Default batch destination code. Use a valid batch destination code. Used if not provided by rules for transport logic.

FO_LabInfo.defaultfacilityid

Default system facility ID code. Use a valid facility ID code.

FO_LabInfo.DefaultFeeSchedule

Default fee schedule for multiple fee schedule implementations.

FO_LabInfo.DefaultFeeScheduleOption

Default option in the default fee schedule for multiple fee schedule implementations.

FO_LabInfo.DefaultPerformingLab

Default performing lab code value. Use a valid performing lab code value. Used to supply a performing lab code to the system when one is required and not provided by rules.

FO_LabInfo.defaultspeciescode

Default species code. H = HUMAN

FO_LabInfo.defaultspeciesname

Default species name corresponding to the default species code. HUMAN

FO_LabInfo.DefaultWorkFlowMethod

System default workflow. Overridden by a user location or user-defined default workflow. Allowed values: PATIENT PRESENTS SPECIMEN PRESENTS INDUSTRIAL TOX

FO_LabInfo.defOrdScreenReq

Default requisition report name used when the REQ button on the order screen is clicked. Default used when the user-level value is not defined. Required value. Use Rhodes Group recommended value.

FO_LabInfo.DispatchListRPTEExternalFormCode

The external form code for the dispatch list user custom report.

FO_LabInfo.DisplayBDEFields

Determines which fields to display in the blind duplicate entry screen. Multidimensional pipe delimited value. Use allowed values shown below separated by pipes with leading and trailing pipes. The default value of |ALL| may be used to display all fields. Allowed values: M = MRN N = pt name D = DOB S = gender T = telephone C = client L = location P = physician E = test related fields CC1 = copy to 1 CC2 = copy to 2 CC3 = copy to 3 CC4 = copy to 4 ADD = address fields

FO_LabInfo.epi_billto_options

Populates billto option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid bill to options separated by pipes with leading and trailing

pipes. IE: |P|C||

FO_LabInfo.epi_ins_options

Populates insurance option drop-down list on the episode definition screen. Multidimensional pipe delimited value. Use valid insurance options separated by pipes with leading and trailing pipes. IE: |INS1|INS2|INS3|

FO_LabInfo.ExceptionExecFolder

Pathway for CStools installation.

FO_LabInfo.ExceptionExecutable

Filename for CStools executable. Include ".exe" in the file name.

FO_LabInfo.FastingOrderCode

Used to automatically order a test if the fasting priority is selected at the order level on the order screen. The rule is activated at the time the VERIFY button is clicked. Use a valid order code.

FO_LabInfo.FaxToOrderCode

Used in the mini window for call/fax to automatically order a test code when the FAX button is clicked on the order screen. Use a valid order code.

FO_LabInfo.FPtoRREInterfaceCode

Interface code for the Fast to RRE interface service. Use a valid interface code.

FO_LabInfo.FutureOrderDays

Number of days in the future that the system will allow a user to create a new order. Use an integer. The collection date is evaluated and if the order is too far in the future, a warning message will be displayed.

FO_LabInfo.FutureOrderSecsAutoReceive

Represents a number of seconds. Use an integer. If the collect date/time is in the future by more than this number of seconds, the accession is excluded from auto receive processes.

FO_LabInfo.FutureOrderSecsNotTriggerLabels

Represents a number of seconds. Use an integer. If the collect date/time is in the future by more than this number of seconds, no label is produced.

FO_LabInfo.ITOXDeflCDCCodeq

Default diagnosis code for orders placed while in ITOX workflow. Use valid diagnosis code.

FO_LabInfo.ITOXDefProviderCode

Default provider code for orders placed while in ITOX workflow. Use valid provider code.

FO_LabInfo.LabAccessionAlphaCharacters

Represents the letters used in the lab accession generation when FP will pre-generate it and send it to the LIS. Multidimensional pipe delimited value. Use single capital letters separated by pipes with leading and trailing pipes. IE: |A|Q|Z|

FO_LabInfo.LabAccessionFormat

Defines format for creation of lab accession values. Use Rhodes Group recommended value. IE: 1A,8N The format "1A,8N" generates lab accessions that are one alpha character followed by 8 numeric characters.

FO_LabInfo.labaddress1

Address field on reports.

FO_LabInfo.labaddress2

Second address field on reports.

FO_LabInfo.labaddress3

Third address field on reports.

FO_LabInfo.labaddress4

Fourth address field on reports.

FO_LabInfo.labcode

Code value for this lab.

FO_LabInfo.labdirector

Name of lab director on reports.

FO_LabInfo.LabDivisionCode

Connects a lab code to a larger organization charting process. Use a valid division code as defined in an organizations chart.

FO_LabInfo.labinfo_id

Identity (counter) field

FO_LabInfo.labname

Laboratory name on the login screen and reports.

FO_LabInfo.LabRegionCode

Connects a lab code to a larger organization charting process. Use a valid region code as defined in an organizations chart.

FO_LabInfo.LabSubDivisionCode

Connects a lab code to a larger organization charting process. Use a valid sub-division code as defined in an organizations chart.

FO_LabInfo.logoimagefile

The network path and file name for the logo file used on screen and report displays. Use a valid network path and file name. The file must be a GIF or JPG image approximately 100x125 pixels.

FO_LabInfo.MaxOrderCopyToProvs

Defines the maximum number of 'Copy To' providers allowed per order. Use an integer from 0 to 10.

FO_LabInfo.misc1

Login screen user defined field #1.

FO_LabInfo.misc2

Login screen user defined field #2.

FO_LabInfo.misc3

Login screen user defined field #3.

FO_LabInfo.misc4

Login screen user defined field #4.

FO_LabInfo.misc5

Login screen user defined field #5.

FO_LabInfo.mrnumgenerationroutine

Automatically generates an MRN number on the patient data screen. Use Rhodes Group recommended value. Typical value: ALPHA4NUMBER4

FO_LabInfo.MrNumMask

Medical record number mask used to validate the MRN field on the order screen. Use “#” to represent numbers and “@” to represent alpha characters. Typical setting:
@@@@#####

FO_LabInfo.OE_Interface

Default value for the Outbound OE system interface. Use Rhodes Group recommended value.

FO_LabInfo.OrderActionPhoneNumbers

Designed for use in TEST area. Multidimensional pipe delimited value. Use phone numbers, separated by pipes, to limit user’s choice of entry. Include leading and trailing pipes.

FO_LabInfo.OrderCollectLocationTypes

Populates the collection type drop-down on the patient collection location screen. Multidimensional pipe delimited value. Use valid collection type codes separated by pipes with leading and trailing pipes.

FO_LabInfo.PasswordExpirationDays

Number of days before a user password expires and must be reset. Use an integer.

FO_LabInfo.PastOrderDays

Number of days back that the system will allow a user to create a new order. Use an integer. The collection date is evaluated and if the order is too old, a warning message will be displayed.

FO_LabInfo.PatientFeeSchedule

Default fee schedule code applied to Fast accessions labeled with a billto value of 'Patient/Guarantor'. Use valid fee schedule code.

FO_LabInfo.PatientFeeScheduleOption

Default fee schedule option applied to Fast accessions labeled with a billto value of 'Patient/Guarantor'. Use valid fee schedule option.

FO_LabInfo.PaymentCardTypes

Populates the credit type drop-down on the payment screen. Multidimensional pipe delimited value. Use valid credit card type codes separated by pipes with leading and trailing pipes. IE: |AMEX|VISA|DINNERS|DEBIT|

FO_LabInfo.PaymentReceiptExternalFormCode

The form code from FO_External_Form_Definition. ExternalFormCode that can be used to show a user customized SSRS-based payment receipt form.

FO_LabInfo.PaymentTypes

Populates the payment type drop-down on the payment screen. Multidimensional pipe delimited value. Use valid payment type codes separated by pipes with leading and trailing pipes. IE: |CARD|CHECK|CASH|

FO_LabInfo.ProvCodesTriggerFreeText

Defines provider codes for which a freetext provider name is allowed. Multidimensional pipe delimited value. Use valid provider codes separated by pipes with leading and trailing pipes.

FO_LabInfo.PtDefaultDOB

Default DOB. Enter DOB as MM/DD/YYYY format.

FO_LabInfo.PtEthnicityEntries

Populates the ethnicity drop-down on the patient demographics screen. Multidimensional pipe delimited value. Use valid ethnicity codes separated by pipes with leading and trailing pipes.

FO_LabInfo.PtRaceEntries

Populates the race drop-down on the patient demographics screen. Multidimensional pipe delimited value. Use valid race codes separated by pipes with leading and trailing pipes.

FO_LabInfo.RecentPatientSearchDays

Default number of days to evaluate for recent activity. Use an integer. Used with RECENT PTS search option. Based on edit date not create date.

FO_LabInfo.RecentPatientSearchType

Default RECENT PTS search type. Allowed values: USERLOCATION ENTRYGROUPCODE PTACCESSGROUP MPI

FO_LabInfo.RecognizedPrefixes

Defines the prefixes to remove from patient last name in patient matching rules. Storage of prefixes depends on permission. Multidimensional pipe delimited value. Use acceptable patient last name prefixes separated by pipes with leading and trailing pipes.

FO_LabInfo.RecognizedSuffixes

Defines the suffixes to remove from patient last name in patient matching rules. Storage of suffixes depends on permission. Multidimensional pipe delimited value. Use acceptable patient last name suffixes separated by pipes with leading and trailing pipes.

FO_LabInfo.ReqID_Exclude_Characters

Defines the characters to exclude from the requisition ID value. Multidimensional COMMA delimited value. Use the characters, separated by commas, that should be excluded from the requisition ID value on the order screen.

FO_LabInfo.ReqID_Length_Range

Represents the minimum and maximum number of characters allowed in the requisition ID field on the order screen. Use an integer then a dash then an integer. Do not enter a

value here if an edit mask is defined for the requisition ID field. IE: 10-15 If the value is "10-15", then an entry between 10 and 15 characters long is allowed.

FO_LabInfo.ReqID_Mask

Mask used to validate the requisition ID on the order screen. Use “#” to represent numbers and “@” to represent alpha characters. Typical setting: ##### This setting requires an 8 character numeric only entry.

FO_LabInfo.Result_Interface

Default value for the Outbound RE system interface. Use Rhodes Group recommended value.

FO_LabInfo.resultsysurl

URL to connect to a client-provided lab result portal. Use a valid URL. The URL may contain place holders for user name and password for the lab system. IE: HTTP://LabPortal.com /#USERNAME##PASSWORD#

FO_LabInfo.SalesTaxUserLoc

Defines the user locations and their corresponding sales tax to be used for price calculations on the payments screen. Multidimensional pipe delimited value. Use valid user location code - sales tax percent pairs. Include a leading and trailing pipe. Each value in a pair is separated by a dash. IE: |USERLOC1-6.5|USERLOC2-6|

FO_LabInfo.SendOrderForFPCancelToLIS

Bit flag to indicate if FAST should trigger a new order message before a cancel message when sending cancellation to LIS. This would only be true for orders that have not been previously sent to the LIS or have originated in LIS. The system will evaluate both of these conditions by checking to see if the IFTriggerUpdate field has been filled at the test level. 0 = do not trigger NW order before cancel 1 = trigger NW Order before sending cancel

FO_LabInfo.SO_review_days

Default number of days before a standing order expires and requires review. Use an integer. Used to calculate the number of days until standing order expiration. IE: 180

FO_LabInfo.SpecimenPresentsDefTechCode

Default tech code for collection tech in the Specimen Presents mode. Use a valid tech code.

FO_LabInfo.TDC_In_Interfaces

Interface code for Trusted Data Concentrator inbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

FO_LabInfo.TDC_Out_Interfaces

Interface code for Trusted Data Concentrator outbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

FO_LabInfo.TestCompDupExcludeDept

Excludes tests from certain departments from being evaluated for overlapping test codes if they are a battery. Multidimensional pipe delimited value. Use valid department codes separated by pipes with leading and trailing pipes. Used to order tests automatically when copy to physician is used on the order screen. IE: |BB|MC|CY|PATH| If this field is blank, the system will default to |MC|BB|CY| and will exclude those departments from test overlap/duplication logic.

FO_LabInfo.TestCompDupExcludeTests

Defines the test codes to exclude from the test overlap/duplication logic during order entry. Multidimensional pipe delimited value. Use valid battery test codes separated by pipes with leading and trailing pipes. Any battery test codes in this list will not be evaluated for test overlap.

FO_LabInfo.TriggerCancelCDCOutbound

Bit flag to indicate if FAST should trigger cancellation messages to the outbound CDC interface for orders where FO_Accessions.Origin equals 'C' or 'T'. 0 = do not trigger cancellation messages to outbound CDC 1 = trigger cancellation messages to outbound CDC

FO_LabInfo.UnknownCollectDate

Date sent to LIS when Unknown Collection box is checked. Enter collect date as MM/DD/YYYY format.

FO_LabInfo.UnknownCollectTime

Time sent to LIS when Unknown Collection box is checked. Enter collect time as HH:MM 24-hour format.

FO_LabInfo.UseClientDrivenOrderScreen

Bit flag to indicate if client-driven order screen is default order screen. 0 = use original FAST order screen 1 = use client-driven order screen

FO_LabInfo.UseInterfaceTriggerService

Bit flag to indicate if FAST should enable FAST Interface Trigger Layer. Used in conjunction with FAST Interface Trigger Process Service. 0 = do not use trigger layer (FAST will continue to write to trigger table) 1 = use FAST Interface Trigger Layer and FAST Interface Trigger Process Service (started configured and separately) (New background service for creating application to interface subsystem triggers. When this is set the application writes general triggers for the background job to process in the table FO_IF_AppTrigger_Queue. The background job then creates the explicit table updates and the triggering to the FO_ID_Trigger table.)

FO_LabInfo.usemandatorysteps

Use 1 Do NOT not change without Rhodes Group approval.

FO_LabInfo.useverify

Use 1 Do NOT not change without Rhodes Group approval.

FO_LabInfo.WorkFlowMethods

Workflow methods used by the site. Populates the workflow method drop-down on the integrated search page. Multidimensional pipe delimited value. Use allowed values as shown below separated by pipes with leading and trailing pipes. Allowed values: PATIENT PRESENTS SPECIMEN PRESENTS INDUSTRIAL TOX

ForceBillTo [FO_IF_Translations]

Defines the billto value for every order created by reference to this translation. Only applies to translation type I insurance for the first IN1 segment. This will override what was sent in message or default value for qualifier. Use a valid FAST billto value. See billto table for valid entries of longcode. This logic will be used only if the translation rules are activated to cause the system to translate the insurance code in the message. An IN1 segment must have at least an insurance code and a policy number to qualify as a valid segment. If it does not, no translation will be applied.

ForeignValue [FO_IF_Translations]

Value for this type in the external system.

FPModule [FO_External_Form_Definitions]

Swaps the default Rhodes format for the SSRS form defined. Use a valid FPModule code to enable. Valid FPModule Code: BATCHPROCESS

FPtoRREInterfaceCode [FO_LabInfo]

Interface code for the Fast to RRE interface service. Use a valid interface code.

FPValue [FO_IF_Translations]

Value to translate to in FP. For type I insurance translations, if the FPValue is listed as "*DNU*", then the system will not record any insurances from that message. The system will still force the Bill To if the above field is valued. This is only honored for the primary insurance (first IN1) segment in a message.

FutureOrderDays [FO_LabInfo]

Number of days in the future that the system will allow a user to create a new order. Use an integer. The collection date is evaluated and if the order is too far in the future, a warning message will be displayed.

FutureOrderSecsAutoReceive [FO_LabInfo]

Represents a number of seconds. Use an integer. If the collect date/time is in the future by more than this number of seconds, the accession is excluded from auto receive processes.

FutureOrderSecsNotTriggerLabels [FO_LabInfo]

Represents a number of seconds. Use an integer. If the collect date/time is in the future by more than this number of seconds, no label is produced.

InterfaceCode [FO_IF_Translations]

Interface code for this translation. The interface code is defined in the Comms and Processor jobs config files.

ITOXDeflCDCCodeq [FO_LabInfo]

Default diagnosis code for orders placed while in ITOX workflow. Use valid diagnosis code.

ITOXDefProviderCode [FO_LabInfo]

Default provider code for orders placed while in ITOX workflow. Use valid provider code.

L

LabAccessionAlphaCharacters [FO_LabInfo]

Represents the letters used in the lab accession generation when FP will pre-generate it and send it to the LIS. Multidimensional pipe delimited value. Use single capital letters separated by pipes with leading and trailing pipes. IE: |A|Q|Z|

LabAccessionFormat [FO_LabInfo]

Defines format for creation of lab accession values. Use Rhodes Group recommended value. IE: 1A,8N The format "1A,8N" generates lab accessions that are one alpha character followed by 8 numeric characters.

labaddress1 [FO_LabInfo]

Address field on reports.

labaddress2 [FO_LabInfo]

Second address field on reports.

labaddress3 [FO_LabInfo]

Third address field on reports.

labaddress4 [FO_LabInfo]

Fourth address field on reports.

labcode [FO_LabInfo]

Code value for this lab.

labdirector [FO_LabInfo]

Name of lab director on reports.

LabDivisionCode [FO_LabInfo]

Connects a lab code to a larger organization charting process. Use a valid division code as defined in an organizations chart.

labinfo_id [FO_LabInfo]

Identity (counter) field

labname [FO_LabInfo]

Laboratory name on the login screen and reports.

LabRegionCode [FO_LabInfo]

Connects a lab code to a larger organization charting process. Use a valid region code as defined in an organizations chart.

LabSubDivisionCode [FO_LabInfo]

Connects a lab code to a larger organization charting process. Use a valid sub-division code as defined in an organizations chart.

logoimagefile [FO_LabInfo]

The network path and file name for the logo file used on screen and report displays. Use a valid network path and file name. The file must be a GIF or JPG image approximately 100x125 pixels.

M

MaxOrderCopyToProvs [FO_LabInfo]

Defines the maximum number of 'Copy To' providers allowed per order. Use an integer from 0 to 10.

misc1 [FO_LabInfo]

Login screen user defined field #1.

misc2 [FO_LabInfo]

Login screen user defined field #2.

misc3 [FO_LabInfo]

Login screen user defined field #3.

misc4 [FO_LabInfo]

Login screen user defined field #4.

misc5 [FO_LabInfo]

Login screen user defined field #5.

MPIQualifier [FO_CDC_Outbound_Filter]

MPI qualifier code that accepts inbound messages.

MPIQualifier [FO_IF_Translations]

MPI qualifier code.

mrnumgenerationroutine [FO_LabInfo]

Automatically generates an MRN number on the patient data screen. Use Rhodes Group recommended value. Typical value: ALPHA4NUMBER4

MrNumMask [FO_LabInfo]

Medical record number mask used to validate the MRN field on the order screen. Use “#” to represent numbers and “@” to represent alpha characters. Typical setting:
@@@@@#####

O

OE_Interface [FO_LabInfo]

Default value for the Outbound OE system interface. Use Rhodes Group recommended value.

OrderActionPhoneNumbers [FO_LabInfo]

Designed for use in TEST area. Multidimensional pipe delimited value. Use phone numbers, separated by pipes, to limit user’s choice of entry. Include leading and trailing pipes.

OrderCollectLocationTypes [FO_LabInfo]

Populates the collection type drop-down on the patient collection location screen. Multidimensional pipe delimited value. Use valid collection type codes separated by pipes with leading and trailing pipes.

OrderControl [FO_CDC_Outbound_Filter]

Order control code used with SENDNA option.

P

PasswordExpirationDays [FO_LabInfo]

Number of days before a user password expires and must be reset. Use an integer.

PastOrderDays [FO_LabInfo]

Number of days back that the system will allow a user to create a new order. Use an integer. The collection date is evaluated and if the order is too old, a warning message will be displayed.

PatientFeeSchedule [FO_LabInfo]

Default fee schedule code applied to Fast accessions labeled with a billto value of 'Patient/Guarantor'. Use valid fee schedule code.

PatientFeeScheduleOption [FO_LabInfo]

Default fee schedule option applied to Fast accessions labeled with a billto value of 'Patient/Guarantor'. Use valid fee schedule option.

PaymentCardTypes [FO_LabInfo]

Populates the credit type drop-down on the payment screen. Multidimensional pipe delimited value. Use valid credit card type codes separated by pipes with leading and trailing pipes. IE: |AMEX|VISA|DINNERS|DEBIT|

PaymentReceiptExternalFormCode [FO_LabInfo]

The form code from FO_External_Form_Definition. ExternalFormCode that can be used to show a user customized SSRS-based payment receipt form.

PaymentTypes [FO_LabInfo]

Populates the payment type drop-down on the payment screen. Multidimensional pipe delimited value. Use valid payment type codes separated by pipes with leading and trailing pipes. IE: |CARD|CHECK|CASH|

PermGroups [FO_External_Form_Definitions]

Determines which users can see a report based on permission group codes. Leave blank to make report available to all users. Multidimensional pipe delimited value. Use valid permission group codes separated by pipes with leading and trailing pipes.

ProvCodesTriggerFreeText [FO_LabInfo]

Defines provider codes for which a freetext provider name is allowed. Multidimensional pipe delimited value. Use valid provider codes separated by pipes with leading and trailing pipes.

PtDefaultDOB [FO_LabInfo]

Default DOB. Enter DOB as MM/DD/YYYY format.

PtEthnicityEntries [FO_LabInfo]

Populates the ethnicity drop-down on the patient demographics screen. Multidimensional pipe delimited value. Use valid ethnicity codes separated by pipes with leading and trailing pipes.

PtRaceEntries [FO_LabInfo]

Populates the race drop-down on the patient demographics screen. Multidimensional pipe delimited value. Use valid race codes separated by pipes with leading and trailing pipes.

R

RecentPatientSearchDays [FO_LabInfo]

Default number of days to evaluate for recent activity. Use an integer. Used with RECENT PTS search option. Based on edit date not create date.

RecentPatientSearchType [FO_LabInfo]

Default RECENT PTS search type. Allowed values: USERLOCATION
ENTRYGROUPCODE PTACCESSGROUP MPI

RecognizedPrefixes [FO_LabInfo]

Defines the prefixes to remove from patient last name in patient matching rules. Storage of prefixes depends on permission. Multidimensional pipe delimited value. Use acceptable patient last name prefixes separated by pipes with leading and trailing pipes.

RecognizedSuffixes [FO_LabInfo]

Defines the suffixes to remove from patient last name in patient matching rules. Storage of suffixes depends on permission. Multidimensional pipe delimited value. Use acceptable patient last name suffixes separated by pipes with leading and trailing pipes.

ReportType [FO_External_Form_Definitions]

A short coded value that identifies the type of the report.

ReportURL [FO_External_Form_Definitions]

URL that launches the report in the SSRS server.

ReqID_Exclude_Characters [FO_LabInfo]

Defines the characters to exclude from the requisition ID value. Multidimensional COMMA delimited value. Use the characters, separated by commas, that should be excluded from the requisition ID value on the order screen.

ReqID_Length_Range [FO_LabInfo]

Represents the minimum and maximum number of characters allowed in the requisition ID field on the order screen. Use an integer then a dash then an integer. Do not enter a value here if an edit mask is defined for the requisition ID field. IE: 10-15 If the value is "10-15", then an entry between 10 and 15 characters long is allowed.

ReqID_Mask [FO_LabInfo]

Mask used to validate the requisition ID on the order screen. Use “#” to represent numbers and “@” to represent alpha characters. Typical setting: ##### This setting requires an 8 character numeric only entry.

Result_Interface [FO_LabInfo]

Default value for the Outbound RE system interface. Use Rhodes Group recommended value.

resultsysurl [FO_LabInfo]

URL to connect to a client-provided lab result portal. Use a valid URL. The URL may contain place holders for user name and password for the lab system. IE: HTTP://LabPortal.com /#USERNAME##PASSWORD#

S

SalesTaxUserLoc [FO_LabInfo]

Defines the user locations and their corresponding sales tax to be used for price calculations on the payments screen. Multidimensional pipe delimited value. Use valid user location code - sales tax percent pairs. Include a leading and trailing pipe. Each value in a pair is separated by a dash. IE: |USERLOC1-6.5|USERLOC2-6|

SendCancel [FO_CDC_Outbound_Filter]

Bit field to determine if cancel order messages are sent on CDCOutbound. 0 = filter cancel order messages, do not send 1 = send cancel order messages

SendNA [FO_CDC_Outbound_Filter]

Bit field to determine if SN/NA messages are sent on CDCOutbound. 0 = filter SN/NA messages, do not send 1 = send SN/NA messages

SendOrder [FO_CDC_Outbound_Filter]

Bit field to determine if order messages are sent on CDCOutbound. 0 = filter order messages, do not send 1 = send order messages

SendOrderForFPCancelToLIS [FO_LabInfo]

Bit flag to indicate if FAST should trigger a new order message before a cancel message when sending cancellation to LIS. This would only be true for orders that have not been previously sent to the LIS or have originated in LIS. The system will evaluate both of these conditions by checking to see if the IFTriggerUpdate field has been filled at the test level. 0 = do not trigger NW order before cancel 1 = trigger NW Order before sending cancel

SendReceipt [FO_CDC_Outbound_Filter]

Bit field to determine if receipt order messages are sent on CDCOutbound. 0 = filter receipt order messages, do not send 1 = send receipt order messages

SO_review_days [FO_LabInfo]

Default number of days before a standing order expires and requires review. Use an integer. Used to calculate the number of days until standing order expiration. IE: 180

SpecimenPresentsDefTechCode [FO_LabInfo]

Default tech code for collection tech in the Specimen Presents mode. Use a valid tech code.

T

TDC_In_Interfaces [FO_LabInfo]

Interface code for Trusted Data Concentrator inbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

TDC_Out_Interfaces [FO_LabInfo]

Interface code for Trusted Data Concentrator outbound interface. Code is used by FAST to write to trigger table and must match what is expected for interface to function.

TestCompDupExcludeDept [FO_LabInfo]

Excludes tests from certain departments from being evaluated for overlapping test codes if they are a battery. Multidimensional pipe delimited value. Use valid department codes separated by pipes with leading and trailing pipes. Used to order tests automatically when copy to physician is used on the order screen. IE: |BB|MC|CY|PATH| If this field is blank, the system will default to |MC|BB|CY| and will exclude those departments from test overlap/duplication logic.

TestCompDupExcludeTests [FO_LabInfo]

Defines the test codes to exclude from the test overlap/duplication logic during order entry. Multidimensional pipe delimited value. Use valid battery test codes separated by pipes with leading and trailing pipes. Any battery test codes in this list will not be evaluated for test overlap.

TranslationType [FO_IF_Translations]

Single character that represents a translation type. I = insurance P = provider C = client B = bill to T = test code L = patient location G = gender R = relationship value S = species PR = priority M = marital

TriggerCancelCDCOutbound [FO_LabInfo]

Bit flag to indicate if FAST should trigger cancellation messages to the outbound CDC interface for orders where FO_Accessions.Origin equals 'C' or 'T'. 0 = do not trigger cancellation messages to outbound CDC 1 = trigger cancellation messages to outbound CDC

U

UnknownCollectDate [FO_LabInfo]

Date sent to LIS when Unknown Collection box is checked. Enter collect date as MM/DD/YYYY format.

UnknownCollectTime [FO_LabInfo]

Time sent to LIS when Unknown Collection box is checked. Enter collect time as HH:MM 24-hour format.

UseClientDrivenOrderScreen [FO_LabInfo]

Bit flag to indicate if client-driven order screen is default order screen. 0 = use original FAST order screen 1 = use client-driven order screen

UseInterfaceTriggerService [FO_LabInfo]

Bit flag to indicate if FAST should enable FAST Interface Trigger Layer. Used in conjunction with FAST Interface Trigger Process Service. 0 = do not use trigger layer (FAST will continue to write to trigger table) 1 = use FAST Interface Trigger Layer and FAST Interface Trigger Process Service (started configured and separately) (New background service for creating application to interface subsystem triggers. When this is set the application writes general triggers for the background job to process in the table FO_IF_AppTrigger_Queue. The background job then creates the explicit table updates and the triggering to the FO_ID_Trigger table.)

usemandatorysteps [FO_LabInfo]

Use 1 Do NOT not change without Rhodes Group approval.

useverify [FO_LabInfo]

Use 1 Do NOT not change without Rhodes Group approval.

W

WorkflowMethods [FO_LabInfo]

Workflow methods used by the site. Populates the workflow method drop-down on the integrated search page. Multidimensional pipe delimited value. Use allowed values as shown below separated by pipes with leading and trailing pipes. Allowed values:
PATIENT PRESENTS SPECIMEN PRESENTS INDUSTRIAL TOX